

## **ROCKS**

If you know how to read them, rocks can tell a story. They can reveal where they came from, how fast they cooled, how far they traveled, how much pressure and heat they endured. Knowing some basic facts about rocks makes it possible to know a great deal about the rocks and the geologic history of a given area.

### **How Are Rocks Classified?**

There are three major groupings of rocks: igneous, metamorphic, and sedimentary.

**Igneous** rocks are formed when liquid rock (magma in the Earth and lava when it pours onto the surface) cools. Igneous rocks are classified based on their color (which tells something of their chemical composition) and the size of the grains or crystals in the rock. Darker



Lesson Checkpoint: What are the three major categories of rocks?

## **Igneous Rocks**

#### **Formation**

Igneous rocks form when liquid rock cools and hardens. Liquid rock that is under the crust is called magma. When it pours out onto the Earth's surface, it is then called lava.







Igneous rocks are classified based on color and grain size. Dark igneous rocks with visible crystals include basalt and gabbro. The dark igneous rock that is glassy is called obsidian. Sometimes lava is frothed up with gasses, producing a very light weight rock called pumice. Pumice is the only rock that can float on water. Light colored igneous rock that does not have visible crystals is called syenite. Light colored igneous rock that has visible crystals is called granite.

There is a special circumstance in which the magma cooled so slowly that the crystals grew to be so large that they weigh tons. This special igneous deposit is called a pegmatite.



Crystal size in igneous rocks seems to be connected to the length of time the crystal had to grow. Obsidian (volcanic glass) has no visible crystals because it cooled immediately. Granite has larger, visible crystals because it cooled more slowly. Pegmatite crystals are enormous because they cooled, literally, over many thousands of years.

#### **Uses**

Igneous rocks are used primarily in the building industry for making and decorating business buildings and homes. Some igneous rocks, like pumice, are used as an abrasive. The feldspar from granites and pegmatites is used to make porcelain and glass.



energy from water and/or wind. A poorly sorted clastic rock, such as conglomerate, has traveled a considerably shorter distance (in other words, it is nearer to its source rock).

 Chemical sedimentary rocks are sedimentary rocks that formed through chemical precipitation. When the situation is just right, dissolved lime in ocean water can precipitate out of the water and settle on the ocean floor. It accumulates and, in time, solidifies into limestone. Chemical sedimentary rock is very fine grained and shows no signs of life, such as fossilized remains.



• Biochemical or organic sedimentary rocks form when the shell remains of organisms collect on the ocean floor. There they solidify, becoming fossils and a layer of limestone. A special type of organic sedimentary rock called coquina is formed by the accumulation of shell fragments. In this case, the shell fragments have not fossilized, but are the original shell material.

#### **Uses**

Sedimentary rock is occasionally used in construction. Most limestone is crushed and used to make concrete. It is also crushed and used in road construction.

# Lesson Checkpoint: Which type of sedimentary rock is formed from other



#### Classification

Metamorphic rock is rock that is changed. The word "metamorphosis" is derived from two Greek words which literally mean "to change form." Any type of rock – igneous, sedimentary, and metamorphic - can be metamorphosed into a new metamorphic rock.

There are two categories of metamorphic rocks. Both are formed as the result of intense heat and pressure deep in the Earth's crust. The categories are foliated and non-foliated (or massive) metamorphic rocks. The difference is determined by the original rock that is being changed by the heat and pressure.



#### **Formation**

Foliated metamorphic rocks begin as clay and siltstone. As heat and pressure change the siltstone, the particles in the siltstone grow. As they grow larger, different metamorphic rocks are formed. The first to form is slate. As the grains continue to grow, the rock becomes phyllite. As the grains grow even larger, the phyllite becomes schist, and then it becomes gneiss. If the heat and pressure becomes too great, the gneiss can actually melt down and become magma. All of these rocks show some form of layering which is called foliation; therefore, they are called foliated metamorphic rocks.

Non-foliated metamorphic rocks begin as either limestone or sandstone. When limestone is metamorphosed, its grains grow and become more dense and compact. The metamorphic rock that forms is called marble. The same happens with sandstone which becomes




Lesson Checkpoint: What two conditions help form metamorphic rocks?





## The Rock Cycle



melting and then cool to become an igneous rock. The graphic below shows the rock cycle well. The Earth is a dynamic planet and its rocks are constantly changing.

